(FILE 'HOME' ENTERED AT 16:12:37 ON 04 JUN 2001)

FILE 'MEDLINE' ENTERED AT 16:13:01 ON 04 JUN 2001	
L1 2300 S CHEMOKINE AND (INHIBIT? OR ANTAGONI? OR BLOC	K)
L2 846 S L1 AND (RANTES OR MCP?)	
L3 23 S L2 AND TRUNCAT?	
L4 2 S L3 AND PY>1999	
L5 8 S L3 AND PY=1998	
L6 8 S L3 AND PY<1998	
L7 7 S L3 AND PY>1998	
L8 0 S EMBASE, BIOSIS, CAPLUS	
L9 0 F EMBASE, BIOSIS, CAPLUS	
FILE 'EMBASE, BIOSIS, CAPLUS' ENTERED AT 16:41:18 ON 04 J	JN 2001
L10 25 S L5	
L11 23 S L6	
L12 12 DUP REM L10 (13 DUPLICATES REMOVED)	
L13 10 DUP REM L11 (13 DUPLICATES REMOVED)	

WEST

Help Logout Interrupt

Main Menu | Search Form | Posting Counts | Show S Numbers | Edit S Numbers | Preferences

Search Results -

	Documents
(RANTES or MCP\$) same (inhibit\$ or antagoni\$ or block) and (RANTES or MCP\$).clm.	79

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Database:

Search History

Today's Date: 5/31/2001

Refine Search:

DB Name	<u>Ouery</u>	Hit Count	Set Name
USPT,PGPB	(RANTES or MCP\$) same (inhibit\$ or antagoni\$ or block) and (RANTES or MCP\$).clm.	79	<u>L4</u>
USPT,PGPB	(RANTES or MCP\$) same (inhibit\$ or antagonist\$ or block)	966	<u>L3</u>
USPT,PGPB	6168784.pn. or 5965697.pn. or 6159711.pn. or 6168784.pn. or 5605817.pn.	4	<u>L2</u>
USPT,PGPB	5993814.pn. or 6031083.pn. or 5688927.pn. or 5932703.pn. or 5602008.pn. or 5874211.pn. or 5936068.pn.	7	<u>L1</u>







PubMed	Nucleotide	Protein	Genome	Structure	PopSet	Taxonomy	OMIN
Search PubM	led 🔽 for	Proost P				Preview Go	Clear
		Limits	Preview/Index	History	Clipb	oard	
intrez PubMe	•	To combine	ory will be lost after searches use # bet bers may not be co	fore search nu	mber, e.g., #		
NEW.	Sea	rch	Most	Recent Quer	ies	T	ime R
		#1 Search P	roost P			07:	04:54
ubMed Serv	ices						
		ear History					

Related Resources

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer







_	eotide Protein Genome Structure PopSet Taxonomy OMIM
Search PubMed	for Proost P Go Clear Limits Preview/Index History Clipboard
	Display Summary ▼ Sort ▼ Save Text Order Remove from Clipboa
Entrez PubMed	Show: 20
NEW	1: Aquaro S, Menten P, Struyf S, Proost P, Van Damme J, De Clercq E, Schols D. Relate The LD78beta isoform of MIP-1alpha is the most potent CC-chemokine in inhibiting
PubMed Services	CCR5-dependent human immunodeficiency virus type 1 replication in human macropha J Virol. 2001 May;75(9):4402-6. PMID: 11287590 [PubMed - indexed for MEDLINE]
	2: Blaszczyk J, Coillie EV, Proost P, Damme JV, Opdenakker G, Bujacz GD, Related Articles, Protein, S Wang JM, Ji X.
Related Resources	Complete crystal structure of monocyte chemotactic protein-2, a CC chemokine that ir with multiple receptors. Biochemistry. 2000 Nov 21;39(46):14075-81. PMID: 11087354 [PubMed - indexed for MEDLINE]
	3: Van den Steen PE, Proost P, Wuyts A, Van Damme J, Opdenakker G. Relate
	Neutrophil gelatinase B potentiates interleukin-8 tenfold by aminoterminal processing, it degrades CTAP-III, PF-4, and GRO-alpha and leaves RANTES and MCP-2 intact. Blood. 2000 Oct 15;96(8):2673-81. PMID: 11023497 [PubMed - indexed for MEDLINE]
	4: Proost P, Menten P, Struyf S, Schutyser E, De Meester I, Van Damme J. Relate
	Cleavage by CD26/dipeptidyl peptidase IV converts the chemokine LD78beta into a m efficient monocyte attractant and CCR1 agonist. Blood. 2000 Sep 1;96(5):1674-80. PMID: 10961862 [PubMed - indexed for MEDLINE]
	5: De Meester I, Durinx C, Bal G, Proost P, Struyf S, Goossens F, Augustyns K, Scharpe S. Natural substrates of dipeptidyl peptidase IV. Adv Exp Med Biol. 2000;477:67-87. Review. No abstract available. PMID: 10849732 [PubMed - indexed for MEDLINE]
	6: Van Damme J, Struyf S, Wuyts A, Van Coillie E, Menten P, Schols D, Sozzani S, De Meester I, Proost P. The role of CD26/DPP IV in chemokine processing. Chem Immunol. 1999;72:42-56. Review. No abstract available. PMID: 10550929 [PubMed - indexed for MEDLINE]
	7: Menten P, Struyf S, Schutyser E, Wuyts A, De Clercq E, Schols D, Proost P, Van Damme J. The LD78beta isoform of MIP-1alpha is the most potent CCR5 agonist and HIV-1-inh chemokine. J Clin Invest. 1999 Aug;104(4):R1-5. PMID: 10449444 [PubMed - indexed for MEDLINE]

8: Struyf Proost P, Schols D, De Clercq E, Opdenakker G Phaerts JP, Detheux M, Parmentier Re M, De Meester I, Scharpe S, Van Damme J. CD26/dipeptidyl-peptidase IV down-regulates the eosinophil chemotactic potency, anti-HIV activity of human eotaxin by affecting its interaction with CC chemokine in	
J Immunol. 1999 Apr 15;162(8):4903-9. PMID: 10202035 [PubMed - indexed for MEDLINE]	
Wuyts A, Govaerts C, Struyf S, Lenaerts JP, Put W, Conings R, Proost P, Van Damme J. Isolation of the CXC chemokines ENA-78, GRO alpha and GRO gamma from tum leukocytes reveals NH2-terminal heterogeneity. Functional comparison of different isoforms. Eur J Biochem. 1999 Mar;260(2):421-9. PMID: 10095777 [PubMed - indexed for MEDLINE]	
10: Proost P, Struyf S, Schols D, Opdenakker G, Sozzani S, Allavena P, Mantovani A, Augustyns K, Re Bal G, Haemers A, Lambeir AM, Scharpe S, Van Damme J, De Meester I. Truncation of macrophage-derived chemokine by CD26/ dipeptidyl-peptidase IV be predicted cleavage site affects chemotactic activity and CC chemokine receptor 4 in J Biol Chem. 1999 Feb 12;274(7):3988-93. PMID: 9933589 [PubMed - indexed for MEDLINE]	eyoı
11: Schols D, Proost P, Struyf S, Wuyts A, De Meester I, Scharpe S, Van Damme J, De Clercq E. CD26-processed RANTES(3-68), but not intact RANTES, has potent anti-HIV-1 Antiviral Res. 1998 Oct;39(3):175-87. PMID: 9833958 [PubMed - indexed for MEDLINE]	elate acti ⁻
Enhanced anti-HIV-1 activity and altered chemotactic potency of NH2-terminally process macrophage-derived chemokine (MDC) imply an additional MDC receptor. J Immunol. 1998 Sep 15;161(6):2672-5. PMID: 9743322 [PubMed - indexed for MEDLINE]	elate proc
13: Van Coillie E, Proost P, Van Aelst I, Struyf S, Polfliet M, De Meester I. Related Articles, Protein Harvey DJ, Van Damme J, Opdenakker G. Functional comparison of two human monocyte chemotactic protein-2 isoforms, roamino-terminal pyroglutamic acid and processing by CD26/dipeptidyl peptidase IV Biochemistry. 1998 Sep 8;37(36):12672-80. PMID: 9730840 [PubMed - indexed for MEDLINE]	ole c
14: Proost P, Struyf S, Schols D, Durinx C, Wuyts A, Lenaerts JP, De Clercq E, De Meester I, Van Red Damme J. Processing by CD26/dipeptidyl-peptidase IV reduces the chemotactic and anti-HIV of stromal-cell-derived factor-1alpha. FEBS Lett. 1998 Jul 31;432(1-2):73-6. PMID: 9710254 [PubMed - indexed for MEDLINE]	
Natural truncation of RANTES abolishes signaling through the CC chemokine rece and CCR3, impairs its chemotactic potency and generates a CC chemokine inhibito Eur J Immunol. 1998 Apr;28(4):1262-71. PMID: 9565366 [PubMed - indexed for MEDLINE]	
16: Proost P, Struyf S, Couvreur M, Lenaerts JP, Conings R, Menten P, Verhaert P, Wuyts A, Van	elate

Posttranslational modifications affect the activity of the human monocyte chemotactic

MCP and MCP-2: identification of MCP-2(6 as a natural chemokine inhibitor. J Immunol. 1998 Apr 15;160(8):4034-41. PMID: 9558113 [PubMed - indexed for MEDLINE] 17: Proost P, De Meester I, Schols D, Struyf S, Lambeir AM, Wuyts A, Opdenakker G, De Clercq Relate E, Scharpe S, Van Damme J. Amino-terminal truncation of chemokines by CD26/dipeptidyl-peptidase IV. Conversic RANTES into a potent inhibitor of monocyte chemotaxis and HIV-1-infection. J Biol Chem. 1998 Mar 27;273(13):7222-7. PMID: 9516414 [PubMed - indexed for MEDLINE] Relate 18: Proost P, Wuyts A, Conings R, Lenaerts JP, Put W, Van Damme J. Purification and Identification of Natural Chemokines Methods. 1996 Aug;10(1):82-92. PMID: 8812648 [PubMed - as supplied by publisher] Relate 19: Proost P, Wuyts A, van Damme J. The role of chemokines in inflammation. Int J Clin Lab Res. 1996;26(4):211-23. Review. PMID: 9007610 [PubMed - indexed for MEDLINE] Relate 20: Sozzani S, Allavena P, Proost P, Van Damme J, Mantovani A. Chemokines as targets for pharmacological intervention. Prog Drug Res. 1996;47:53-80. Review. No abstract available. PMID: 8961764 [PubMed - indexed for MEDLINE] Remove from Clipboa Order Sort Save Text Display Summary

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer

Page 1 of 2

Select pa

Items 1-20 of 27

Show: 20








PubMed Nucl	eotide Protein Genome Structure PopSet Taxonomy OMIM
Search PubMed [for Proost P Go Clear
<i>þ</i> ;	Limits Preview/Index History Clipboard
	Display Summary ▼ Sort ▼ Save Text Order Remove from Clipboa
Entrez PubMed	Show: 20 V Items 21-27 of 27 Page 2 of 2 Select page
NEW.	21: Proost P, Wuyts A, Van Damme J. Relate
PubMed Services	Human monocyte chemotactic proteins-2 and -3: structural and functional comparison MCP-1. J Leukoc Biol. 1996 Jan;59(1):67-74. Review. PMID: 8558070 [PubMed - indexed for MEDLINE]
Related Resources	Expression of a human mutant monocyte chemotactic protein 3 in Pichia pastoris and characterization as an MCP-3 receptor antagonist. J Interferon Cytokine Res. 1995 Nov,15(11):955-63. PMID: 8590307 [PubMed - indexed for MEDLINE]
	23: Proost P, Van Leuven P, Wuyts A, Ebberink R, Opdenakker G, Van Damme J. Relate
	Chemical synthesis, purification and folding of the human monocyte chemotactic protein MCP-2 and MCP-3 into biologically active chemokines. Cytokine. 1995 Feb;7(2):97-104. PMID: 7780043 [PubMed - indexed for MEDLINE]
	24: Bertini R, Luini W, Sozzani S, Bottazzi B, Ruggiero P, Boraschi D, Saggioro D, Chieco-Bianchi Relate L, Proost P, van Damme J, et al. Identification of MIP-1 alpha/LD78 as a monocyte chemoattractant released by the HTLV-I-transformed cell line MT4. AIDS Res Hum Retroviruses. 1995 Jan;11(1):155-60. PMID: 7537510 [PubMed - indexed for MEDLINE]
	25: Van Damme J, Proost P, Put W, Arens S, Lenaerts JP, Conings R, Opdenakker G, Heremans H, Relate
	Billiau A. Induction of monocyte chemotactic proteins MCP-1 and MCP-2 in human fibroblasts a leukocytes by cytokines and cytokine inducers. Chemical synthesis of MCP-2 and deve of a specific RIA. J Immunol. 1994 Jun 1;152(11):5495-502. PMID: 8189067 [PubMed - indexed for MEDLINE]
	26: Van Damme J, Proost P, Lenaerts JP, Conings R, Opdenakker G, Billiau A. Relate
	Monocyte chemotactic proteins related to human MCP-1. Adv Exp Med Biol. 1993;351:111-8. Review. No abstract available. PMID: 7942290 [PubMed - indexed for MEDLINE]
	27: Van Damme J, Proost P, Lenaerts JP, Opdenakker G. Related Articles, Protein, Nucleotid
	Structural and functional identification of two human, tumor-derived monocyte chemo- proteins (MCP-2 and MCP-3) belonging to the chemokine family.





Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer